

Owner's Manual

WITH 5-YEAR
WARRANTY

Marlin[®]

WARNING: Do not use Blazer brand ammunition in this rifle. The design is not compatible with the Marlin feeding system, and may result in live rounds inadvertently remaining in the magazine.

MODEL 1894 COWBOY II LEVER ACTION RIFLE 357 MAGNUM

IMPORTANT

This manual contains operating, care and maintenance instructions. To assure safe operation, any user of this firearm must read this manual carefully. Failure to follow the instructions and warnings in this manual can cause accidents resulting in injury or death. This manual should always accompany this firearm, and be transferred with it upon change of ownership.

The warranty card attached to the cover must be filled out and mailed within 10 days of purchase.

WARNING: KEEP THIS FIREARM OUT OF THE REACH OF CHILDREN.

LIMITED WARRANTY AND CERTIFICATE OF OWNERSHIP

To insure warranty protection for your Marlin firearm, this warranty card must be completed and mailed within 10 days of purchase.

Marlin Model 1894 Cowboy II (357 Mag./38 Spl.)

Serial Number _____ Date of Purchase _____

I have read the Owner's Manual
and request registration of my warranty.

(signature of owner)

Please Print

Owner _____ Address _____

City _____ State _____

Zip Code _____

Name of Store where purchased _____ City _____ State _____

To help us provide new and better products we would appreciate your answers to the following questions.

Your Occupation

- Farm
 Student
 Office

- Industrial
 Professional
 Managerial
- with Marlin product
 Magazine Ad
 Newspaper Ad
 Magazine Article

Which of these influenced your purchase?

- Previous experience
 Brand Reputation
 Recommended by friend
 Recommended by salesperson
 Recommended by gunsmith

Why did you buy a Marlin?

- Durability
 The Way it Handles
 Price
 Appearance

Your Age Group

- Under 18
 18-24
 35-49
 50+

Was this gun a gift?

- Yes
 No

LIMITED WARRANTY

The Marlin Firearms Company FIVE YEAR LIMITED WARRANTY AGAINST DEFECTS IN MATERIAL & WORKMANSHIP

This firearm warranty is good only to the ORIGINAL OWNER who has registered his ownership with The Marlin Firearms Company at 100 Kenna Drive, North Haven, Connecticut.

WARRANTY and CERTIFICATE OF OWNERSHIP card **must** be completed and mailed to The Marlin Firearms Company at the above address WITHIN TEN (10) DAYS of purchase to insure the protection of the warranty. NOTICE of defect in materials and/or workmanship **must** be received by the company WITHIN FIVE (5) YEARS from the date of purchase.

Normal wear, or damage resulting from neglect, abuse, alteration, or repairs not made or authorized by The Marlin Firearms Company or use of non-Marlin parts are not covered by the warranty.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

MARLIN'S PERFORMANCE UNDER THE ABOVE WARRANTY

1. After notice of defect in material and/or workmanship is received by The Marlin Firearms Company, Marlin shall send instructions for shipment of the firearm; and repairs will be made and the firearm returned within a reasonable time after the firearm is received. Cost of shipping, insurance charges, etc. involved in returning the firearm to the company shall be prepaid by the original owner.
2. Cost of parts and labor performed shall be provided without charge by The Marlin Firearms Company.
3. If The Marlin Firearms Company, after receipt of the firearm, determines that the defects in material and/or workmanship were the result of abuse and/or neglect, or otherwise not covered by the warranty set forth above, Marlin shall notify such owner to that effect and give an estimate for repair. In such cases, repair, return shipping and insurance charges, etc. shall be paid by such owner.
4. In the event that The Marlin Firearms Company is unable to make warranty repairs to the firearm, it shall, within a reasonable time after its receipt, notify the owner to that effect and give him the option either to receive a replacement of the same model, if then available in its inventory, or to receive a refund, either of which, if feasible, will be made through the store of purchase.

The Marlin Firearms Company
100 Kenna Drive, North Haven, CT 06473




PLACE
STAMP
HERE

Marlin Firearms Co.
P.O. Box 248
North Haven, CT 06473-0903



Marlin Model 1894 Cowboy II



Before You Use This Firearm

It is very important that you read and understand this manual before using your firearm. Warnings should be read and heeded carefully. Also follow "Marlin's Guide to Gun Safety," printed in this manual.

•**WARNING:** We specifically disclaim responsibility for any damage or injury occurring with a Marlin firearm in which faulty, non-standard, "remanufactured", or handloaded (reloaded) ammunition is used.

Ammunition Note: The 1894 CBII is designed to handle 357 Magnum factory-loaded ammunition (except wad cutters and shot shells). It will also function with 38 Special cartridges.

Minimum overall cartridge length— 1.400"
Maximum overall cartridge length— 1.590"

Use of the Hammer Spur

•**WARNING:** Only use the hammer spur on the gun with which it was packed. It will not fasten securely on narrower ($\frac{1}{4}$ " Marlin or Glenfield hammers, or other hammers, and could cause a dangerous situation.

Because of its solid top, side ejecting receiver, your rifle is ideally suited for use with a scope. The receiver is drilled and tapped for scope mounting. However, once mounted, most scope and mount combinations do not allow sufficient clearance for your thumb between the eyepiece

and hammer for safe operation. In order to operate the hammer safely, we recommend that you use the offset hammer spur packed with your gun, when using a scope. A $\frac{1}{16}$ " hexagonal wrench for attaching the spur is also included.

For right hand use, position the spur so that it protrudes from the right side of the hammer, slide the spur as far forward on the hammer as it will go, and tighten the set screw. For left hand use, mount the spur so that it protrudes from the left side of the hammer, and tighten set screw. Be sure the set screw tightens into the small notch on either the right or left side of the hammer, and check regularly to be sure that it is tight.

